

Sr.No.	Name Of Grower	Village	Taluka	District	Crop	Variety	Stage	Area Organized in (Ha.)	Final Standing Area in (Ha.)	Remark
1	Crs.Dr.Pdkv Akola	Western Block	Akola	AKOLA	UDID	AKU-10-1	F-C	2.00	2.00	Area damaged due to rain
2	Crs.Dr.Pdkv Akola	Gudadhi Block	Akola	AKOLA	UDID	AKU-10-1	F-C	2.00	2.00	Area damaged due to rain
3	Crs.Dr.Pdkv Akola	Shioni Block	Akola	AKOLA	UDID	AKU-10-1	F-C	2.00	2.00	Area damaged due to rain
4	Sunil Tukaram Phale	Masa	Akola	AKOLA	UDID	AKU-10-1	F-C	0.80	0.80	Area damaged due to rain
5	Sunil Digambar Kathole	Goregaon	Akola	AKOLA	UDID	AKU-15	F-C	3.20	3.20	Area damaged due to rain
6	Crs.Dr.Pdkv Akola	Western Block	Akola	AKOLA	MOOG	BM-2002-01	F-C	4.80	4.80	Sample failed in Qcl
7	Rajesh Ajabrao Thakare	Mazod	Akola	AKOLA	MOOG	BM-2002-01	F-C	0.80	0.80	Sample failed in Qcl
8	Crs Dr.Pdkv Akola	Mission School Block	Akola	AKOLA	MOOG	BM-2003-02	F-C	3.60	3.60	Sample failed in Qcl
9	Crs Dr.Pdkv Akola	Gudadhi Block	Akola	AKOLA	MOOG	BM-2003-02	F-C	4.00	4.00	Sample failed in Qcl
10	Crs Dr.Pdkv Akola	Shioni Block	Akola	AKOLA	MOOG	BM-2003-02	F-C	3.60	3.60	Area damaged due to rain
11	Crs Dr.Pdkv Akola	Highway Block	Akola	AKOLA	MOOG	BM-2003-02	F-C	2.80	2.80	Area damaged due to rain
12	Crs Dr.Pdkv Akola	Washim Road Farm	Akola	AKOLA	MOOG	BM-2003-02	F-C	7.60	7.60	Area damaged due to rain
13	Digambar Ganpat Kathole	Goregaon	Akola	AKOLA	MOOG	BM-2003-02	F-C	2.00	2.00	Area damaged due to rain
14	Mahadev Shantaram Bhakare	Goregaon	Akola	AKOLA	MOOG	BM-2003-02	F-C	1.20	1.20	Area damaged due to rain
15	Samir Ganesh Lakhe	Patur Nandapur	Akola	AKOLA	MOOG	BM-2003-02	B-F	1.20	1.20	Area damaged due to rain
16	Sayyed Jakir Sayyed Bashir	Borgaon Manju	Akola	AKOLA	MOOG	BM-2003-02	F-C	3.20	3.20	Area damaged due to rain
17	Sayyed Sajid Sayyed Bashir	Borgaon Manju	Akola	AKOLA	MOOG	BM-2003-02	F-C	1.60	1.60	Area damaged due to rain
18	Shrikrushna Digambar Kathole	Goregaon	Akola	AKOLA	MOOG	BM-2003-02	F-C	2.00	2.00	Area damaged due to rain
19	Crs Akola	Highway Block	Akola	AKOLA	IMP BAJARA	DHANSHAKTI	F-C	2.40	2.40	Area damaged due to rain
20	Crs Akola	Washim Road Farm	Akola	AKOLA	IMP BAJARA	DHANSHAKTI	F-C	2.00	2.00	Area damaged due to rain
21	Crs Akola	Washim Road Farm	Akola	AKOLA	IMP BAJARA	DHANSHAKTI	F-C	2.00	2.00	Area damaged due to rain
22	Archana Sanjay Bhakare	Goregao	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
23	Gopal Shridhar Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
24	Madhukar Manik Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
25	Mangala Prakash Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
26	Pramod Shriram Khandel	Boragao	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
27	Sandip Hariram Barabde	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
28	Shridhar Maroti Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
29	Sukaial Vaman Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
30	Vijay Shankar Tayade	Kaulkhed	Akola	AKOLA	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
31	Ashabai Uttam Gavhale	Sonala	Akola	AKOLA	JUTE	JRO-524	F-C	2.40	2.40	Area damaged due to rain
32	Cdf Akola	Dhaga	Akola	AKOLA	JUTE	JRO-524	F-C	7.20	7.20	Area damaged due to rain
33	Crs Akola	Western Block	Akola	AKOLA	JUTE	JRO-524	F-C	2.00	2.00	Area damaged due to rain
34	Nandatai Baburao Katre	Wani	Akola	AKOLA	JUTE	JRO-524	F-C	2.00	2.00	Area damaged due to rain
35	Nitin Dayaram Ingale	Sonala	Akola	AKOLA	JUTE	JRO-524	F-C	4.00	4.00	Area damaged due to rain
36	Dnyadev Tulshiram Jadhav	Kaulkhed	Akola	AKOLA	SOYABEAN	JS-335	F-C	2.00	2.00	Sample failed in Qcl
37	Gajanan Ramrao Fale	Masa	Akola	AKOLA	SOYABEAN	JS-335	F-C	2.80	2.80	Sample failed in Qcl
38	Jayashri Prakash Kutaskar	Mhaisang	Akola	AKOLA	SOYABEAN	JS-335	F-C	1.60	1.60	Sample failed in Qcl
39	Prakash Raghunathappa Kutaskar	Mhaisang	Akola	AKOLA	SOYABEAN	JS-335	F-C	1.60	1.60	Area damaged due to rain
40	Pravin Dadarao Deshamukh	Mhaisang	Akola	AKOLA	SOYABEAN	JS-335	F-C	3.20	3.20	Area damaged due to rain
41	Sarangdhar Vishram Hande	Goregao	Akola	AKOLA	SOYABEAN	JS-335	F-C	2.80	2.80	Area damaged due to rain
42	Shindutai Rambhau Khanapure	Boragao	Akola	AKOLA	SOYABEAN	JS-335	F-C	4.00	4.00	Area damaged due to rain
43	T. S. F. Boragao	Boragao	Akola	AKOLA	SOYABEAN	JS-335	F-C	6.00	6.00	Area damaged due to rain
44	Anil Ananda Patel	Ugava	Akola	AKOLA	SOYABEAN	JS-93-05	CI-CII	4.80	4.80	Sample failed in Qcl
45	Crs Akola	Western	Akola	AKOLA	SOYABEAN	JS-93-05	CI-CII	7.20	7.20	Sample failed in Qcl
46	Crs Akola	Washim Road Farm	Akola	AKOLA	SOYABEAN	JS-93-05	CI-CII	8.00	8.00	Sample failed in Qcl
47	Gopal Shridhar Tayade	Kaulkhed	Akola	AKOLA	SOYABEAN	JS-93-05	CI-CII	2.00	2.00	Area damaged due to rain
48	Pavan Trambak Deshmukh	Mhaisang	Akola	AKOLA	SOYABEAN	JS-93-05	CI-CII	2.80	2.80	Area damaged due to rain
49	C.S.P.O.C.D.F.Akola	Pahadpur Block	Akola	AKOLA	MOOG	KOPARGAON	F-C	10.00	10.00	Area damaged due to rain
50	Crs.Dr.Pdkv Akola	Gudadhi Block	Akola	AKOLA	MOOG	KOPARGAON	F-C	2.00	2.00	Area damaged due to rain
51	Crs.Dr.Pdkv Akola	Babhulgaon Block	Akola	AKOLA	MOOG	KOPARGAON	F-C	6.00	6.00	Area damaged due to rain
52	Annasaheb Mahadev Ravale	Patur Nandapur	Akola	AKOLA	SOYABEAN	MAUS-158	CI-CII	2.00	2.00	Sample failed in Qcl
53	Cdf Akola	Tankhed Block	Akola	AKOLA	SOYABEAN	MAUS-158	CI-CII	10.00	10.00	Sample failed in Qcl
54	Sumantaben Surendra Shaha	Sangalud	Akola	AKOLA	SOYABEAN	MAUS-158	CI-CII	4.00	4.00	Area damaged due to rain
55	Wasudev Ramkrushna Dhore	Shivapur	Akola	AKOLA	SOYABEAN	MAUS-158	F-C	1.60	1.60	Area damaged due to rain
56	Cdf Akola	Kothari	Akola	AKOLA	SOYABEAN	MAUS-162	F-C	8.00	8.00	Area damaged due to rain

57	Ashish Vishwas Khandel	Borgaon Manju	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	2.00	2.00	Sample failed in Qcl
58	Crs Akola	Babhulgaon	Akola	AKOLA	SOYABEAN	MAUS-71	CI-CII	10.00	10.00	Sample failed in Qcl
59	Crs Akola	Babhulgaon	Akola	AKOLA	SOYABEAN	MAUS-71	CI-CII	10.00	10.00	Sample failed in Qcl
60	Datta Ashok Wankhade	Mhaisang	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	4.00	4.00	Area damaged due to rain
61	Dhanjay Dnyandeve Jadhav	Kaulkhed	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	2.00	2.00	Area damaged due to rain
62	Ishan Ashok Wankhade	Mhaisang	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	3.20	3.20	Area damaged due to rain
63	Nandkishor Laknath Pande	Devali	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	4.00	4.00	Sample failed in Qcl
64	Savita Vasant Gawande	Mhaisang	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	4.00	4.00	Sample failed in Qcl
65	Sukhadev Lakhuij Lakhe	Patur Nandapur	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	2.00	2.00	Sample failed in Qcl
66	Sumantaben Surendra Shaha	Sangalud	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	4.00	4.00	Sample failed in Qcl
67	Vaikunth Ramkrushna Dhore	Shivapur	Akola	AKOLA	SOYABEAN	MAUS-71	F-C	1.60	1.60	Sample failed in Qcl
68	Crs.Dr.Pdkv Akola	Western Block	Akola	AKOLA	MOOG	PKVM-4	F-C	3.20	3.20	Sample failed in Qcl
69	Ashvajit Gajanan Fale	Masa	Akola	AKOLA	TUR	PKV-TARA	F-C	1.60	1.60	failed in isolation
70	Avinash Ramkrushna Kathole	Goregaon	Akola	AKOLA	TUR	PKV-TARA	F-C	2.00	2.00	failed in isolation
71	Crs Akola	Washim Road	Akola	AKOLA	TUR	PKV-TARA	F-C	8.80	8.80	failed in isolation
72	Crs Akola	Babhulgaon	Akola	AKOLA	TUR	PKV-TARA	F-C	10.00	10.00	failed in isolation
73	Divakar Sahebrao Gavande	Javla	Akola	AKOLA	TUR	PKV-TARA	F-C	2.80	2.80	failed in isolation
74	Manjusha Randhir Sawarkar	Palaso	Akola	AKOLA	TUR	PKV-TARA	F-C	7.20	7.20	failed in isolation
75	Satish Ramkrushna Kathole	Goregaon	Akola	AKOLA	TUR	PKV-TARA	F-C	2.00	2.00	failed in isolation
76	Arun Loknath Pande	Devali	Akola	AKOLA	UDID	TAU-1	F-C	4.00	4.00	Area damaged due to rain
77	Digambar Ganpat Kathole	Goregaon	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Area damaged due to rain
78	Ishan Ashokrao Deshmukh	Mhaisang	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Area damaged due to rain
79	Jaykumar Devidas Gadekar	Shivapur	Akola	AKOLA	UDID	TAU-1	F-C	0.80	0.80	Area damaged due to rain
80	Kishor Raikumar Ajmera	Borgaon Manju	Akola	AKOLA	UDID	TAU-1	CI-CII	2.40	2.40	Area damaged due to rain
81	Muralidhar Pandurang Dandale	Ugava	Akola	AKOLA	UDID	TAU-1	F-C	10.00	10.00	Area damaged due to rain
82	Muralidhar Pandurang Dandale	Ugava	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Area damaged due to rain
83	Narhar Vishram Hande	Goregaon	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Area damaged due to rain
84	Nikhil Vasanttrao Gawande	Mhaisang	Akola	AKOLA	UDID	TAU-1	F-C	3.20	3.20	Sample failed in Qcl
85	Pramod Devidas Gadekar	Shivapur	Akola	AKOLA	UDID	TAU-1	F-C	0.80	0.80	Sample failed in Qcl
86	Rajani Subhash Patil	Devali	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Sample failed in Qcl
87	Rajesh Anandrao Gawande	Goregaon	Akola	AKOLA	UDID	TAU-1	F-C	2.80	2.80	Sample failed in Qcl
88	Ram Vitthalrao Pagrut	Ghusar	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Area damaged due to rain
89	Sarangdhar Vishram Hande	Goregaon	Akola	AKOLA	UDID	TAU-1	CI-CII	2.00	2.00	Sample failed in Qcl
90	Subhash Shankarrao Patil	Devali	Akola	AKOLA	UDID	TAU-1	F-C	2.80	2.80	Sample failed in Qcl
91	Sunil Tukaram Phale	Masa	Akola	AKOLA	UDID	TAU-1	F-C	2.80	2.80	Sample failed in Qcl
92	Uday Arunrao Pagrut	Ghusar	Akola	AKOLA	UDID	TAU-1	F-C	2.00	2.00	Sample failed in Qcl
93	Annasaheb Mahadev Ravale	Patur Nandapur	Akola	AKOLA	MOOG	UTKARSHA	F-C	1.60	1.60	Area damaged due to rain
94	Arvind Jivanrao Ghavat	Mhatodi	Akola	AKOLA	MOOG	UTKARSHA	F-C	8.00	8.00	Sample failed in Qcl
95	Avinash Omkar Pagrut	Ghusar	Akola	AKOLA	MOOG	UTKARSHA	F-C	2.00	2.00	Sample failed in Qcl
96	C.S.P.O.Cdf Wani Rambhapur	Rajapur Block	Akola	AKOLA	MOOG	UTKARSHA	F-C	10.00	10.00	Sample failed in Qcl
97	Crs.Dr.Pdkv Akola	Shioni Block	Akola	AKOLA	MOOG	UTKARSHA	F-C	4.80	4.80	Sample failed in Qcl
98	Pradip Dinkar Tale	Mazod	Akola	AKOLA	MOOG	UTKARSHA	F-C	0.80	0.80	Sample failed in Qcl
99	Rajesh Anandrao Gawande	Goregaon	Akola	AKOLA	MOOG	UTKARSHA	F-C	2.00	2.00	Area damaged due to rain
100	Santosh Digambar Kathole	Goregaon	Akola	AKOLA	MOOG	UTKARSHA	F-C	4.00	4.00	Area damaged due to rain
101	Sunil Digambar Kathole	Goregaon	Akola	AKOLA	MOOG	UTKARSHA	F-C	2.40	2.40	Area damaged due to rain
102	MANGESH MURLIDHAR DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	js 335	cs	2.8	2.8	FAIL IN GERMINATION
103	BHAGWANT SADASHIV DESHMUKH	AMBASHI	PATUR	AKOLA	soybean	MAUS 158	CS	2.4	2.4	FAIL IN GERMINATION
104	ANILRAO GOVINDRAO DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	MAUS 158	CS	1.2	1.2	FAIL IN GERMINATION
105	SHANTABAI PANDURANG DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	MAUS 158	CS	1.2	1.2	FAIL IN GERMINATION
106	MANKARNA CHANDRABHAN BARATE	DEULGAON	PATUR	AKOLA	soybean	MAUS 71	CS	2	2	FAIL IN GERMINATION
107	VILAS SUKHDEO GOLE	DEULGAON	PATUR	AKOLA	soybean	MAUS 71	CS	2	2	FAIL IN GERMINATION
108	BHANUDAS PANDURANG KANTALKAR	TULANGA	PATUR	AKOLA	soybean	MAUS 71	CS	2	2	FAIL IN GERMINATION
109	ASHOKRAO MAHADEORAO AMANKAR	BHANDARAJ	PATUR	AKOLA	soybean	JS9305	CS	5.6	5.6	FAIL IN GERMINATION
110	SHRIKANT CHANDRABHAN BARATE	DEULGAON	PATUR	AKOLA	soybean	JS9305	CS	1.2	1.2	FAIL IN GERMINATION
111	RAJESH SAHEBRAO LAHOLE	AMBASHI	PATUR	AKOLA	UDID	AKU 15	CS	2	2	FAIL IN GERMINATION
112	GOVINDA TEJRAO LAHOLE	AMBASHI	PATUR	AKOLA	UDID	AKU 15	CS	1.2	1.2	FAIL IN GERMINATION
113	BANDU RAMKRUSHNA SARATE	DEULGAON	PATUR	AKOLA	UDID	TAU-1	CS	2	2	FAIL IN GERMINATION
114	ANANTA MAHADEORAO SHENDE	BHANDARAJ	PATUR	AKOLA	UDID	TAU-1	CS	0.8	0.8	FAIL IN GERMINATION
115	BHIKAJI UTTAMRAO SHENDE	BHANDARAJ	PATUR	AKOLA	UDID	TAU-1	CS	0.8	0.8	FAIL IN GERMINATION
116	ANIL SHYAMSHING RATHOD	PATUR	PATUR	AKOLA	MUG	BM 2003-02	CS	1.6	1.6	FAIL IN GERMINATION

117	PRASHANT TRYAMBAK BARATE	DEULGAON	PATUR	AKOLA	MUG	BM 2002-01	CS	2.8	2.8	FAIL IN GERMINATION
118	SACHIN GULABRAO DESHMUKH	CHARANGAON	PATUR	AKOLA	JUTE	JRO 524	CS	1.6	1.6	RAIN DAMAGE
119	ANILRAO GOVINDRAO DESHMUKH	CHARANGAON	PATUR	AKOLA	JUTE	JRO 524	CS	0.8	0	HARROWED
120	SUHAS RAMCHANDRA KOKATE	SHIRLA	PATUR	AKOLA	JUTE	JRO 524	CS	1.6	0	HARROWED
121	ASHISH GAJANAN KUKALKAR	PATUR	PATUR	AKOLA	JUTE	JRO 524	CS	2.8	2.8	RAIN DAMAGE
122	SURESH DALPAT NEVHAL	TULANGA	PATUR	AKOLA	TUR	TARA	CS	2	2	FAILIN ISOLATION
123	ASHOKRAO MAHADEORAO AMANKAR	BHANDARAJ	patur	AKOLA	TUR	TARA	CS	2	0	NOT SOWN
124	SANTOSH VITTHAL DHORE	TULANGA	PATUR	AKOLA	TUR	MAROTI	CS	2	2	FAILIN ISOLATION
125	HARISH AJABRAO LAHOLE	AMBASHI	PATUR	AKOLA	TUR	MAROTI	CS	2	2	FAILIN ISOLATION
126	SUNIL MAROTI UGALE	AGIKHED	PATUR	AKOLA	TUR	BDN 716	CS	0.8	0.8	FAILIN ISOLATION
127	GOPAL GAJANAN PORE	CHARANGAON	PATUR	AKOLA	UDID	AKU 10-1	FS	0.8	0.8	RAIN DAMAGE
128	BANDU RAMKRUSHNA SARATE	DEULGAON	patur	AKOLA	UDID	AKU 10-1	FS	2	2	FAIL IN GERMINATION
129	SAGAR JAYWANTRAO DESHMUKH	PIMPARDOLI	patur	AKOLA	UDID	AKU 10-1	CI	1.2	1.2	FAIL IN GERMINATION
130	SAGAR JAYWANTRAO DESHMUKH	PIMPARDOLI	patur	AKOLA	UDID	AKU 10-1	CI	0.8	0.8	FAIL IN GERMINATION
131	DEORAO ATMARAM LAHOLE	AMBASHI	patur	AKOLA	UDID	AKU 10-1	CI	0.8	0.8	FAIL IN GERMINATION
132	SAHEBRAO AVDHOOT LAHOLE	AMBASHI	patur	AKOLA	UDID	AKU 10-1	CI	2	2	FAIL IN GERMINATION
133	DIGAMBAR CHANDRABHAN TAYDE	ALEGAON	patur	AKOLA	UDID	AKU 10-1	CI	0.8	0.8	FAIL IN GERMINATION
134	CHANDRAKALA SHRIKRUSHNA MAHALLE	AMBASHI	patur	AKOLA	UDID	TAU1	CS	0.4	0.4	RAIN DAMAGE
135	SURESH DALPAT NEVHAL	TULANGA	patur	AKOLA	UDID	TAU1	CS	1.2	1.2	FAIL IN GERMINATION
136	ARUN MAROTI KACHALE	TULANGA	patur	AKOLA	UDID	TAU1	CS	2	2	FAIL IN GERMINATION
137	DEORAO GANPAT LANDKAR	AGIKHED	patur	AKOLA	UDID	TAU1	CS	0.8	0.8	FAIL IN GERMINATION
138	PRALHAD TUKARAM HARAMKAR	PIMPARDOLI	patur	AKOLA	UDID	TAU1	CI	0.8	0.8	RAIN DAMAGE
139	LILABAI SADADANAND BARATE	DEULGAON	patur	AKOLA	UDID	TAU1	CI	1.6	1.6	FAIL IN GERMINATION
140	SANJAY TRYAMBAK BARATE	DEULGAON	patur	AKOLA	UDID	TAU1	CI	1.2	1.2	FAIL IN GERMINATION
141	SUHAS RAMCHANDRA KOKATE	SHIRLA	patur	AKOLA	UDID	TAU1	CI	2.4	2.4	FAIL IN GERMINATION
142	SHIVCHARAN SUKHDEO GOLE	DEULGAON	patur	AKOLA	UDID	TAU1	FS	1.6	1.6	FAIL IN GERMINATION
143	VRUSHALI JAYVANTRAO DESHMUKH	PIMPARDOLI	patur	AKOLA	MUG	BM2003-02	CS	1.2	1.2	FAIL IN GERMINATION
144	NAGORAO DASHRATH LAHOLE	AMBASHI	patur	AKOLA	MUG	BM2003-02	CS	1.2	0	HARROWED
145	DIGAMBAR CHANDRABHAN TAYDE	ALEGAON	patur	AKOLA	MUG	UTKARSHA	CS	1.2	1.2	FAIL IN GERMINATION
146	SWAPNIL SUHAS KOKATE	SHIRLA	PATUR	AKOLA	WHEAT	POSHAN (HI 8663)	CS	1.6	1.6	LATE SOWN DAMAGE IN QUALITY
147	SUHAS RAMCHANDRA KOKATE	SHIRLA	PATUR	AKOLA	WHEAT	POSHAN (HI 8663)	CS	1.6	1.6	LATE SOWN DAMAGE IN QUALITY