

KHARIF 2019-20

Sr.No.	Name Of Grower	Village	Taluka	District	Crop	Variety	Stage	Area Organized in (Ha.)	Final Standing Area in (Ha.)	Remark
1	Amit Rajendra Jayswal	Sanglood	Akola	Akola	UJID	AKU-10-1	C1-CII	2.40	2.40	sample failed in QCI
2	Capo Wani Rambhapur	Wani Block	Akola	Akola	UJID	AKU-10-1	B-C	10.00	10.00	
3	Capo, Wani	Ami Block	Akola	Akola	UJID	AKU-10-1	C1-CII	8.00	8.00	sample failed in QCI
4	Director Crs, Akola	Malkapur Block	Akola	Akola	UJID	AKU-10-1	B-C	2.40	2.40	
5	Director Crs, Akola	Mission School Block	Akola	Akola	UJID	AKU-10-1	B-C	2.40	2.40	
6	Director Crs, Akola	Shivar Block	Akola	Akola	UJID	AKU-10-1	B-C	2.00	2.00	
7	Director Crs, Akola	Washim Road Farm	Akola	Akola	UJID	AKU-10-1	B-C	6.40	6.40	
8	Nandkishor Loknath Pande	Devi	Akola	Akola	UJID	AKU-10-1	C1-CII	2.00	2.00	
9	Shridhar Bhaurao Dhore	Goregaon	Akola	Akola	UJID	AKU-10-1	C1-CII	2.00	2.00	
10	Vijay Gulabrao Kale	Sanglood	Akola	Akola	UJID	AKU-10-1	C1-CII	2.00	2.00	
11	Vijay Gulabrao Kale	Sanglood	Akola	Akola	UJID	AKU-10-1	C1-CII	0.80	0.80	
12	Nasir Yahyabhai Mulash	Borgoan Manju	Akola	Akola	UJID	AKU-15	F-C	1.80	1.80	
13	Arvind Gunvant Deshmukh	Maisang	Akola	Akola	TUR	BDN-716	C1-CII	1.60	1.60	failed in isolation
14	Avinash Dinkarrao Gawande	Maisang	Akola	Akola	TUR	BDN-716	C1-CII	2.40	2.40	failed in isolation
15	Kavita Sunil Gondchavhar	Kharap	Akola	Akola	TUR	BDN-716	C1-CII	1.60	1.60	failed in isolation
16	Mangala Tyambakrao Deshmukh	Maisang	Akola	Akola	TUR	BDN-716	C1-CII	2.00	2.00	failed in isolation
17	Nandev Ganpat Rajure	Paturl Nandapur	Akola	Akola	TUR	BDN-716	C1-CII	2.40	2.40	failed in isolation
18	Randheer Pralhadrao Sawarkar	Palso	Akola	Akola	MOOG	BM-2003-02	F-C	5.60	5.60	
19	Chandreshkhar Tyambak Deshmukh	Maisang	Akola	Akola	MOOG	BM-2003-02	B-F	2.80	2.80	
20	Capo, Wani	Kurankhed Block	Akola	Akola	MOOG	BM-2003-02	F-C	8.00	8.00	
21	Capo, Wani	Palpada Block	Akola	Akola	MOOG	BM-2003-02	F-C	4.00	4.00	
22	Capo, Wani	Tankhed Block	Akola	Akola	MOOG	BM-2003-02	F-C	7.20	7.20	
23	Director Crs, Akola	Washim Road Farm	Akola	Akola	MOOG	BM-2003-02	F-C	4.80	4.80	
24	Director Crs, Akola	Babhujar Block	Akola	Akola	MOOG	BM-2003-02	F-C	4.80	4.80	
25	Director Crs, Akola	Sudhi Block	Akola	Akola	MOOG	BM-2003-02	F-C	4.80	4.80	
26	Director Crs, Akola	Malkapur Block	Akola	Akola	MOOG	BM-2003-02	F-C	2.80	2.80	
27	Director Crs, Akola	Shivni Block	Akola	Akola	MOOG	BM-2003-02	F-C	6.80	6.80	
28	Director Crs, Akola	Western Block	Akola	Akola	MOOG	BM-2003-02	F-C	4.80	4.80	
29	Ganesh Lakhuji Lakhe	Paturl Nandapur	Akola	Akola	MOOG	BM-2003-02	F-C	1.60	1.60	
30	Kumudini Vasantrao Dhore	Palso	Akola	Akola	MOOG	BM-2003-02	F-C	2.80	2.80	
31	Mahadeo Shantaram Bhakre	Goregaon	Akola	Akola	MOOG	BM-2003-02	F-C	1.60	1.60	
32	Nikamth Tyambak Malakar	Nambi Malakar	Akola	Akola	MOOG	BM-2003-02	F-C	2.00	2.00	
33	Pratik Pralhad Sawarkar	Maisang	Akola	Akola	MOOG	BM-2003-02	F-C	5.60	5.60	
34	Sameer Ganesh Lakhe	Paturl Nandapur	Akola	Akola	MOOG	BM-2003-02	F-C	1.20	1.20	
35	Bhagavandas Narayandas Toshniwal	Maisang	Akola	Akola	TUR	BSMR-736	F-C	4.00	4.00	failed in isolation
36	Hemant Krushnrao Deshmukh	Maisang	Akola	Akola	TUR	BSMR-736	F-C	8.00	8.00	failed in isolation
37	Krushnrao Madhavrao Deshmukh	Maisang	Akola	Akola	TUR	BSMR-736	F-C	8.00	8.00	failed in isolation
38	Nankishor Narayan Toshniwal	Maisang	Akola	Akola	TUR	BSMR-736	F-C	4.00	4.00	failed in isolation
39	Shrikrushna Haribhau Kale	Goregaon	Akola	Akola	TUR	BSMR-736	F-C	1.20	1.20	failed in isolation
40	Director Crs	Highway Block	Akola	IMP BAJARA	DHANSHAKTI	F-C	1.20	1.20	Area damaged due to rain	
41	Director Crs	Shivani Block	Akola	IMP BAJARA	DHANSHAKTI	F-C	4.00	4.00	Area damaged due to rain	
42	Director Crs	Shivar Block	Akola	IMP BAJARA	DHANSHAKTI	F-C	1.20	1.20	Area damaged due to rain	
43	Director Crs	Washim Road From	Akola	IMP BAJARA	DHANSHAKTI	F-C	4.00	4.00	Area damaged due to rain	
44	Abdul Saqib Abdul Majeed	Borgoa Manju	Akola	Akola	TUR	ICP-8863	F-C	1.60	1.60	failed in isolation
45	Akha Vilas Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
46	Archana Sanjay Bhakre	Goregaon	Akola	Akola	TUR	ICP-8863	F-C	3.20	3.20	failed in isolation
47	Dhananjay Tulshiram Jadhav	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
48	Gajanan Laxman Gawande	Kothari	Akola	Akola	TUR	ICP-8863	F-C	1.60	1.60	failed in isolation
49	Gopal Shridhar Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	1.60	1.60	failed in isolation
50	Kuldip Vilas Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
51	Mohan Lakhuji Lakhe	Paturl Nandapur	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
52	Sandip Sahadeora Hande	Goregaon	Akola	Akola	TUR	ICP-8863	F-C	1.20	1.20	failed in isolation
53	Sanjay Bhimrao Bhakre	Goregaon	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
54	Shaktakata Purnaji Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	1.60	1.60	failed in isolation
55	Shridhar Bhaurao Dhore	Goregaon	Akola	Akola	TUR	ICP-8863	F-C	1.20	1.20	failed in isolation
56	Sukhalal Wamanrao Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	2.00	2.00	failed in isolation
57	Sunil Mudhukar Tayade	Kaukhed	Akola	Akola	TUR	ICP-8863	F-C	4.00	4.00	failed in isolation
58	Capo Vani	Kothari Block	Akola	Akola	JUTE	JRO-524	F-C	10.00	10.00	Area damaged due to rain
59	Capo Vani	Mirajpur Block	Akola	Akola	JUTE	JRO-524	F-C	10.00	10.00	Area damaged due to rain
60	Capo Vani	Sukali Block	Akola	Akola	JUTE	JRO-524	F-C	10.00	10.00	Area damaged due to rain
61	Capo Vani	Tankhed Block	Akola	Akola	JUTE	JRO-524	F-C	10.00	10.00	Area damaged due to rain
62	Capo Vani	Tankhed Block	Akola	Akola	JUTE	JRO-524	F-C	10.00	10.00	Area damaged due to rain
63	Krushnaraveshak Tsf Borgoa	Borgoa	Akola	Akola	JUTE	JRO-524	F-C	6.80	6.80	Area damaged due to rain
64	Gajanan Prakash Gawande	Bahirkhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	5.20	5.20	sample failed in QCI
65	Abdul Saqib Abdul Majeed	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	sample failed in QCI
66	Abhijit Vishwanath Khandet	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.80	2.80	sample failed in QCI
67	Alakata Arun Pande	Devi	Akola	Akola	SOYABEAN	JS-335	FIL-C	1.60	1.60	sample failed in QCI
68	Arti Gajanan Gawande	Bahirkhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.80	4.80	sample failed in QCI
69	Arun Loknath Pande	Devi	Akola	Akola	SOYABEAN	JS-335	FIL-C	6.00	6.00	sample failed in QCI
70	Anirvan Narayan Nalinde	Chikhalgao	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	sample failed in QCI
71	Anun Sheshrao Patil	Yeota	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	sample failed in QCI
72	Arunlal Diliprao Deshmukh	Maisang	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.80	2.80	sample failed in QCI
73	Ashish Vishvasrao Khandet	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	sample failed in QCI
74	Chitawa Arun Nalinde	Chikhalgao	Akola	Akola	SOYABEAN	JS-335	FIL-C	0.40	0.40	sample failed in QCI
75	Dhananjay Dnyandevrao Jadhav	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	sample failed in QCI
76	Dilip Dnyandevrao Patil	Yeota	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	sample failed in QCI
77	Gajanan Rambhau Khknapure	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	sample failed in QCI
78	Gajanan Sheshrao Patil	Masa	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	sample failed in QCI
79	Ganesh Lakhuji Lakhe	Paturl Nandapur	Akola	Akola	SOYABEAN	JS-335	B-F	2.00	2.00	sample failed in QCI
80	Gopal Shridhar Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	1.60	1.60	Area damaged due to rain
81	Madhuri Pramod Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	1.20	1.20	Area damaged due to rain
82	Mangesh Rambhau Khanapure	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	Area damaged due to rain
83	Manikrao Bajirao Patil	Yeota	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
84	Mohan Lakhuji Lakhe	Paturl Nandapur	Akola	Akola	SOYABEAN	JS-335	B-F	2.80	2.80	Area damaged due to rain
85	Nandevrao Ganapatrao Rajgure	Paturl Nandapur	Akola	Akola	SOYABEAN	JS-335	FIL-C	3.20	3.20	Area damaged due to rain
86	Nitin Shaligram Bobade	Devi	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.80	2.80	Area damaged due to rain
87	Nitin Sudhakar Phale	Masa	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
88	Pradip Bhimrao Bobade	Devi	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
89	Prakash Dnyandevrao Patil	Yeota	Akola	Akola	SOYABEAN	JS-335	FIL-C	5.60	5.60	Area damaged due to rain
90	Prakash Narayan Nalinde	Chikhalgao	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.40	2.40	Area damaged due to rain
91	Pramod Shridhar Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
92	Pramod Shriram Khandet	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	3.60	3.60	Area damaged due to rain
93	Pratik Nagesh Bobade	Devi	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
94	Purnji Uttamrao Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
95	Ramesh Nagendra Choukhande	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.80	2.80	Area damaged due to rain
96	Sarang Sunil Fate	Masa	Akola	Akola	SOYABEAN	JS-335	B-F	1.60	1.60	Area damaged due to rain
97	Sharad Babarao Phale	Masa	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.80	4.80	Area damaged due to rain
98	Shridhar Moroti Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	3.20	3.20	Area damaged due to rain
99	Sindhuji Rambhau Khanapure	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	Area damaged due to rain
100	Sukhalal Wamanrao Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	3.20	3.20	Area damaged due to rain
101	Tsf Borgoa Manju	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	2.00	2.00	Area damaged due to rain
102	Tsf Borgoa Manju	Borgoa Manju	Akola	Akola	SOYABEAN	JS-335	FIL-C	10.00	10.00	Area damaged due to rain
103	Vamniela Shridhar Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	1.60	1.60	Area damaged due to rain
104	Vilas Wamanrao Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-335	FIL-C	4.00	4.00	Area damaged due to rain
105	Capo Vani	Vani Block	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	5.20	5.20	sample failed in QCI
106	Director Crs	Highway Block	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	4.00	4.00	sample failed in QCI
107	Director Crs	Shivani Block	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	4.80	4.80	Area damaged due to rain
108	Director Crs	Shivar Block	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	1.20	1.20	Area damaged due to rain
109	Director Crs	Western Block	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	10.00	10.00	Area damaged due to rain
110	Hariram Baburo Barabde	Kaukhed	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	2.00	2.00	Area damaged due to rain
111	Kuldip Vilas Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	3.20	3.20	Area damaged due to rain
112	Nitin Keshavrao Gawande	Bahirkhed	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	1.60	1.60	Area damaged due to rain
113	Sindhuji Keshavrao Gawande	Bahirkhed	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	1.60	1.60	Area damaged due to rain
114	Sunil Madhukar Tayade	Kaukhed	Akola	Akola	SOYABEAN	JS-93-05	FIL-C	4.00	4.00	Area damaged due to rain
115	Abdulhadi Abdul Majid	Borgoa Manju	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.40	2.40	sample failed in QCI
116	Abhijit Vinod Tale	Mazhod	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	sample failed in QCI
117	Amit Suresh Lokhapure	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.80	2.80	sample failed in QCI
118	Anand Dattatray Kale	Sanglood	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	sample failed in QCI
119	Anantrao Krushnrao Ingole	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	3.60	3.60	sample failed in QCI
120	Animesh Mahadevrao Ravale	Paturl Nandapur	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	sample failed in QCI
121	Anun Ramrao Deshmukh	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	1.60	1.60	sample failed in QCI
122	Avinash Dinkarrao Gawande	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	sample failed in QCI
123	Bhagavandas Narayandas Toshniwal	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	sample failed in QCI
124	Chandrakhalabai Narayan Toshniwal	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	sample failed in QCI
125	Chandreshkhar Narayandas Toshniwal	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	sample failed in QCI
126	Dattatray Gulabrao Kale	Sanglood	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	sample failed in QCI
127	Digambar Ashokrao Wankhade	Maisang	Akola	Akola	SOYABEAN					

146	Ruprao Tulshiram Tale	Mazhod	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	Area damaged due to rain
147	Sanjay Babarao Phale	Masa	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.00	4.00	Area damaged due to rain
148	Sayibhama Sahadevrao Hande	Goregaon	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	3.60	3.60	Area damaged due to rain
149	Sayid Khurshid Sayyid Hasham	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.40	4.40	Area damaged due to rain
150	Shailesh Devidas Patil	Yeta	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	1.60	1.60	Area damaged due to rain
151	Shrikrushna Haribhau Kale	Goregaon	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	Area damaged due to rain
152	Subhash Madhukar Lohite	Maisang	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	Area damaged due to rain
153	Sudeshnamma Suresh Shaha	Sanglood	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	6.00	6.00	Area damaged due to rain
154	Sukhadev Lakhuj Lakhe	Patul Nandapur	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.80	2.80	Area damaged due to rain
155	Sukuntha Ramkrushna Dhole	Shivapur	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	Area damaged due to rain
156	Vijay Gulabrao Kale	Sanglood	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.00	2.00	Area damaged due to rain
157	Vijay Mahadev Tale	Mazhod	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.80	2.80	Area damaged due to rain
158	Vijay Sahabrao Gavande	Javla	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	4.80	4.80	Area damaged due to rain
159	Vilas Sahadev Dhole	Shivapur	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	2.40	2.40	Area damaged due to rain
160	Wasudev Motiram Navalkar	Sanglood	Akola	Akola	SOYABEAN	MAUS-158	FIL-C	1.60	1.60	Area damaged due to rain
161	Cepo Vani	Katepurna Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	2.80	2.80	sample failed in QC
162	Cepo Vani	Katepurna Block	Akola	Akola	SOYABEAN	MAUS-162	FIL-C	10.00	10.00	sample failed in QC
163	Cepo Vani	Kothari Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	sample failed in QC
164	Cepo Vani	Kothari Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	5.20	5.20	sample failed in QC
165	Cepo Vani	Kurankhed Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	sample failed in QC
166	Cepo Vani	Kurankhed Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	5.20	5.20	sample failed in QC
167	Cepo Vani	Mirajpur Block	Akola	Akola	SOYABEAN	MAUS-162	FIL-C	9.60	9.60	sample failed in QC
168	Cepo Vani	Paipada Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	sample failed in QC
169	Cepo Vani	Sukali Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	sample failed in QC
170	Cepo Vani	Sukali Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	3.20	3.20	sample failed in QC
171	Cepo Vani	Tankhed Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	Area damaged due to rain
172	Director Crs	Babulgaon Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	Area damaged due to rain
173	Director Crs	Babulgaon Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	5.20	5.20	Area damaged due to rain
174	Director Crs	Guldi Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	4.80	4.80	Area damaged due to rain
175	Director Crs	Shivni Block	Akola	Akola	SOYABEAN	MAUS-162	F-C	10.00	10.00	Area damaged due to rain
176	Indubai Sahabrao Gavande	Javla	Akola	Akola	SOYABEAN	MAUS-162	F-C	4.00	4.00	Area damaged due to rain
177	Sayyad Rizwan Sayyad Khurshid	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-162	FIL-C	2.00	2.00	Area damaged due to rain
178	Arnoo Namdevrao Rajam	Patul Nandapur	Akola	Akola	SOYABEAN	MAUS-71	F-C	4.00	4.00	sample failed in QC
179	Avinash Ramkrushna Kathole	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.40	2.40	sample failed in QC
180	Bhaskar Narhar Hande	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.80	2.80	sample failed in QC
181	Bhushan Pramod Khandel	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-71	F-C	1.60	1.60	sample failed in QC
182	Dattatray Digambar Gondchawar	Kaulkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	4.00	4.00	Area damaged due to rain
183	Dyandev Tulshiram Jadhav	Kaulkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	2.00	2.00	sample failed in QC
184	Hamant Madhukar Deshmukh	Maisang	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.00	2.00	sample failed in QC
185	Karuna Pramod Khandel	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-71	F-C	1.60	1.60	sample failed in QC
186	Keshav Sharangdar Hande	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	3.20	3.20	sample failed in QC
187	Kusum Prakash Gavande	Bahirkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	4.80	4.80	Area damaged due to rain
188	Mangala Trambakrao Deshmukh	Maisang	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	8.00	8.00	Area damaged due to rain
189	Pradip Madhukar Deshmukh	Maisang	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	2.00	2.00	Area damaged due to rain
190	Prakash Gurantrao Rajam	Bahirkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	5.20	5.20	Area damaged due to rain
191	Punjab Ullamrao Bhaizat	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	2.00	2.00	Area damaged due to rain
192	Purushottam Lakhman Khanapure	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	4.00	4.00	Area damaged due to rain
193	Purushottam Ramchandra Rojalkar	Borgao Manju	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	2.00	2.00	Area damaged due to rain
194	Rajesh Pralhadrao Deshmukh	Maisang	Akola	Akola	SOYABEAN	MAUS-71	F-C	4.80	4.80	Area damaged due to rain
195	Sarangdar Vitram Hande	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.00	2.00	Area damaged due to rain
196	Shridhar Bhaurao Dhole	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.00	2.00	Area damaged due to rain
197	Uday Wamanrao Deshmukh	Ugva	Akola	Akola	SOYABEAN	MAUS-71	F-C	3.20	3.20	Area damaged due to rain
198	Vinayk Bhaurao Dhole	Goregaon	Akola	Akola	SOYABEAN	MAUS-71	F-C	4.00	4.00	Area damaged due to rain
199	Wasudev Ramkrushna Dhole	Shivapur	Akola	Akola	SOYABEAN	MAUS-71	F-C	2.00	2.00	Area damaged due to rain
200	Vijay Suryakant Malviya	Kaulkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	6.40	6.40	Area damaged due to rain
201	Yogesh Dyandev Jadhav	Kaulkhed	Akola	Akola	SOYABEAN	MAUS-71	FIL-C	2.00	2.00	Area damaged due to rain
202	Smta Anandibai Kruishant Vidhyalay	Nimbi Malokar	Akola	IMP. JOWAR	PKV-KALYANI	F-C	5.20	5.20	Area damaged due to rain	
203	Cepo Vani	Paipada Block	Akola	PROSO MILLET	PKV-EKADASHI	F-C	2.40	2.40	Area damaged due to rain	
204	Ram Vitthal Fagru	Ghusar	Akola	MOOG	PKV-AKM-8802	F-C	2.40	2.40	Area damaged due to rain	
205	Sayyad Khurshid Sayyad Hasham	Borgao Manju	Akola	MOOG	PKV-AKM-8802	F-C	1.60	1.60	Area damaged due to rain	
206	Uday Arunrao Pegru	Ghusar	Akola	MOOG	PKV-AKM-8802	F-C	2.40	2.40	Area damaged due to rain	
207	Anna Madhukar Deshmukh	Maisang	Akola	TUR	TARA	F-C	1.20	1.20	failed in isolation	
208	Cepo Vani	Paipada Block Akola	Akola	TUR	TARA	F-C	10.00	10.00	failed in isolation	
209	Director Crs	Washim Road From	Akola	TUR	TARA	F-C	4.80	4.80	failed in isolation	
210	Dvajak Sahabrao Gavande	Javla	Akola	TUR	TARA	F-C	2.80	2.80	failed in isolation	
211	Madhav Madhukar Deshmukh	Maisang	Akola	TUR	TARA	F-C	1.20	1.20	failed in isolation	
212	Sunanda Ramkrushna Kathole	Goregaon	Akola	TUR	TARA	F-C	2.40	2.40	failed in isolation	
213	Uday Wamanrao Deshmukh	Ugva	Akola	TUR	TARA	F-C	3.20	3.20	failed in isolation	
214	Vijay Sahabrao Gavande	Javla	Akola	TUR	TARA	F-C	3.20	3.20	failed in isolation	
215	Akshai Gajanan Phale	Masa	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
216	Amnasheb Mahadeo Rawale	Patul Nandapur	Akola	UIDD	TAU-1	F-C	2.00	2.00	sample failed in QC	
217	Archana Sanjay Bhakre	Goregaon	Akola	UIDD	TAU-1	F-C	2.00	2.00	sample failed in QC	
218	Anun Narayan Nalinde	Chikhalgao	Akola	UIDD	TAU-1	F-C	2.40	2.40	sample failed in QC	
219	Ashok Avtharrao Wadkar	Maisang	Akola	UIDD	TAU-1	F-C	4.00	4.00	sample failed in QC	
220	Bhushan Pramod Khandel	Borgao Manju	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
221	Devial Sampat Gavhale	Ghusar	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
222	Dinesh Gulabrao Kale	Sanglood	Akola	UIDD	TAU-1	F-C	2.00	2.00	sample failed in QC	
223	Dinesh Gulabrao Kale	Sanglood	Akola	UIDD	TAU-1	F-C	8.40	8.40	sample failed in QC	
224	Gopal Shaligram Tale	Mazod	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
225	Govardhan Gopal Kakad	Sanglood	Akola	UIDD	TAU-1	F-C	6.80	6.80	sample failed in QC	
226	Indubai Narayan Patel	Ugva	Akola	UIDD	TAU-1	F-C	6.00	6.00	sample failed in QC	
227	Karuna Pramod Khandel	Borgao Manju	Akola	UIDD	TAU-1	F-C	0.80	0.80	sample failed in QC	
228	Kundan Santosh Kathole	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
229	Mahadev Shantaram Bhakare	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	sample failed in QC	
230	Namdeo Wasudev Konde	Ugva	Akola	UIDD	TAU-1	F-C	1.20	1.20	sample failed in QC	
231	Nandlal Haribhau Dahake	Ghusar	Akola	UIDD	TAU-1	F-C	2.00	2.00	sample failed in QC	
232	Nikhillesh Narayan Jaysawal	Sanglood	Akola	UIDD	TAU-1	F-C	4.00	4.00	Area damaged due to rain	
233	Nilesh Govindrao Kakad	Sanglood	Akola	UIDD	TAU-1	F-C	4.80	4.80	Area damaged due to rain	
234	Nitinikant Tryambak Malokar	Nimbi Malokar	Akola	UIDD	TAU-1	F-C	2.00	2.00	Area damaged due to rain	
235	Nitin Sudhakar Phale	Masa	Akola	UIDD	TAU-1	F-C	0.80	0.80	Area damaged due to rain	
236	Nitin Vasant Thorabhai	Goregaon	Akola	UIDD	TAU-1	F-C	2.40	2.40	Area damaged due to rain	
237	Panjab Ullamrao Bhaizat	Goregaon	Akola	UIDD	TAU-1	F-C	2.00	2.00	Area damaged due to rain	
238	Prakash Gulabrao Kale	Sanglood	Akola	UIDD	TAU-1	F-C	1.20	1.20	Area damaged due to rain	
239	Prakash Narayan Nalinde	Chikhalgao	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
240	Pradip Madhukar Deshmukh	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
241	Purushottam Ramchandra Rojalkar	Borgao Manju	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
242	Rajul Nandkishor Jaiswal	Sanglood	Akola	UIDD	TAU-1	F-C	5.20	5.20	Area damaged due to rain	
243	Rajendra Mungutrao Tale	Mazod	Akola	UIDD	TAU-1	F-C	2.40	2.40	Area damaged due to rain	
244	Rajesh Akharao Gawande	Mazod	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
245	Rajesh Anandrao Gawande	Goregaon	Akola	UIDD	TAU-1	F-C	0.80	0.80	Area damaged due to rain	
246	Rajkishor Ramnarayan Jaysawal	Sanglood	Akola	UIDD	TAU-1	F-C	2.00	2.00	Area damaged due to rain	
247	Rajlakshmi Ashok Jayswal	Sanglood	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
248	Sagar Prakash Kale	Sanglood	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
249	Sangita Umesh Dhole	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
250	Sanjay Bhimrao Bhakre	Goregaon	Akola	UIDD	TAU-1	F-C	3.20	3.20	Area damaged due to rain	
251	Sanjay Digambar Gondchawar	Kharap	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
252	Santosh Sadashiv Wadkar	Sanglood	Akola	UIDD	TAU-1	F-C	8.40	8.40	Area damaged due to rain	
253	Sarano Sunil Fale	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
254	Satybhama Sahadevrao Hande	Goregaon	Akola	UIDD	TAU-1	F-C	1.20	1.20	Area damaged due to rain	
255	Shashank Rajkishor Jaysawal	Sanglood	Akola	UIDD	TAU-1	F-C	2.00	2.00	Area damaged due to rain	
256	Shirish Vasantrao Dhole	Paliso	Akola	UIDD	TAU-1	F-C	2.80	2.80	Area damaged due to rain	
257	Shrikrushna Sitaram Patil	Shivapur	Akola	UIDD	TAU-1	F-C	1.20	1.20	Area damaged due to rain	
258	Shyamkishor Ramnarayan Jaysawal	Sanglood	Akola	UIDD	TAU-1	F-C	6.00	6.00	Area damaged due to rain	
259	Subham Santosh Kathole	Goregaon	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
260	Sukhdev Sampat Gavhale	Ghusar	Akola	UIDD	TAU-1	F-C	0.80	0.80	Area damaged due to rain	
261	Sumantaben Suresh Shah	Sanglood	Akola	UIDD	TAU-1	F-C	4.80	4.80	Area damaged due to rain	
262	Sunanda Ramkrishna Kathole	Goregaon	Akola	UIDD	TAU-1	F-C	2.40	2.40	Area damaged due to rain	
263	Swarnil Shyamkishor Jaiswal	Sanglood	Akola	UIDD	TAU-1	F-C	2.40	2.40	Area damaged due to rain	
264	Uday Wamanrao Deshmukh	Ugva	Akola	UIDD	TAU-1	F-C	4.00	4.00	Area damaged due to rain	
265	Vijay Suryakant Malviya	Kaulkhed	Akola	UIDD	TAU-1	F-C	5.60	5.60	Area damaged due to rain	
266	Vimabai Sharangdar Hande	Goregaon	Akola	UIDD	TAU-1	F-C	0.80	0.80	Area damaged due to rain	
267	Vinod Mungutrao Tale	Mazod	Akola	UIDD	TAU-1	F-C	2.40	2.40	Area damaged due to rain	
268	Vishal Nandkishor Jaiswal	Sanglood	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
269	Vinuk Lakshman Gawande	Akola	Akola	UIDD	TAU-1	F-C	1.60	1.60	Area damaged due to rain	
270	Amnasheb Mahadevrao Rawale	Patul Nandapur	Akola	MOOG	UTKARSHA	F-C	2.00	2.00	sample failed in QC	
271	Arvind Jivnarao Ghavrit	Ghusarwad	Akola	MOOG	UTKARSHA	F-C	8.00	8.00	sample failed in QC	
272	Cepo Vani	Paipadpur Block	Akola	MOOG	UTKARSHA	F-C	10.00	10.00	Area damaged due to rain	
273	Diyarajam Jagannath Pegru	Ghusar	Akola	MOOG	UTKARSHA	F-C	4.40	4.40	Area damaged due to rain	
274	Devial Sampat Gavhale	Ghusar	Akola	MOOG	UTKARSHA	F-C	2.00	2.00	Area damaged due to rain	
275	Director, Crs, Akola	Babulgaon Block	Akola	MOOG	UTKARSHA	F-C	2.80	2.80	Area damaged due to rain	
276	Director, Crs, Akola	Highway Block	Akola	MOOG	UTKARSHA	F-C	2.80	2.80	Area damaged due to rain	
277	Director, Crs, Akola	Western Block	Akola	MOOG	UTKARSHA	F-C	2.00	2.00	Area damaged due to rain	
278	Keshav Sharangdar									

295	Vinod Keshavrao Shinde	DHOTRA	Murtizapur	AKOLA	UJID	TAU1	CI	1.20	1.20	RAIN DAMAGE AND FAIL IN GERMINATION
296	Uma Chandrakant Deshmukh	Kanara	Murtizapur	AKOLA	UJID	TAU1	CI	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
297	Nitin Prakash Ghate	Rajura Ghat	Murtizapur	AKOLA	UJID	TAU1	CI	0.80	0.80	RAIN DAMAGE AND FAIL IN GERMINATION
298	Sapan Subhash Dhashe	Rajura Ghat	Murtizapur	AKOLA	UJID	TAU1	CI	1.60	1.60	RAIN DAMAGE AND FAIL IN GERMINATION
299	Mahadeorao Runzaji Waizade	Ghungshi	Murtizapur	AKOLA	UJID	TAU1	CI	3.20	3.20	RAIN DAMAGE AND FAIL IN GERMINATION
300	Sneha Ramkrishna Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	2.80	2.80	RAIN DAMAGE AND FAIL IN GERMINATION
301	Tejas Ramkrishna Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
302	Ramkrishna Sahebrao Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
303	Shrikant Annaji Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
304	Indira Annaji Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
305	Amol Annaji Tapare	Khaparwada	Murtizapur	AKOLA	UJID	TAU1	CI	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
306	NITIN VITTHALRAO PATIL	GHUNGSHI	Murtizapur	AKOLA	UJID	AKU 10-1	CS	4.40	4.40	RAIN DAMAGE AND FAIL IN GERMINATION
307	MUKTA SHRUKANT WANKHADE	ANBHORA	Murtizapur	AKOLA	UJID	AKU 10-1	CI	1.60	1.60	RAIN DAMAGE AND FAIL IN GERMINATION
308	Gajanan Ramrao Vaidya	Dhanora	Murtizapur	AKOLA	UJID	AKU 10-1	CI	1.60	1.60	RAIN DAMAGE AND FAIL IN GERMINATION
309	SANJAY RAMRAO VAIDYA	DHANORA	Murtizapur	AKOLA	UJID	AKU 10-1	CI	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
310	Ranjeet Vijay Deshmukh	Virvada	Murtizapur	AKOLA	UJID	AKU 10-1	FS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
348	SANJAY RAMRAO VAIDYA	DHANORA	Murtizapur	AKOLA	UJID	AKU 10-2	CS	2.4	2.4	RAIN DAMAGE AND FAIL IN GERMINATION
311	Ajay Hanumantrao DESHMUKH	Mana	Murtizapur	AKOLA	UJID	AKU 15	CS	3.20	3.20	RAIN DAMAGE AND FAIL IN GERMINATION
312	Archana Sanjay Vaidya	Dhanora	Murtizapur	AKOLA	UJID	AKU 15	CS	2.40	2.40	RAIN DAMAGE AND FAIL IN GERMINATION
313	Manju Rajendra Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
314	Sanjay Sahebrao Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.80	4.80	RAIN DAMAGE AND FAIL IN GERMINATION
315	Abhijit Sanjay Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
316	Rajendra Sahebrao Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
317	Harshada Sanjay Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
318	Vishal Sanjay Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
319	Latika Ramkrishna Tapare	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
320	Sunambai Manikrao Khokale	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	3.20	3.20	RAIN DAMAGE AND FAIL IN GERMINATION
321	Archana Gajanan Khokale	Khaparwada	Murtizapur	AKOLA	MUG	UTKARSHA	CS	2.00	2.00	RAIN DAMAGE AND FAIL IN GERMINATION
322	Prashad Hanumantrao DESHMUKH	Mana	Murtizapur	AKOLA	MUG	UTKARSHA	CS	4.00	4.00	RAIN DAMAGE AND FAIL IN GERMINATION
323	Sadhana Prashant Patil	Mana	Murtizapur	AKOLA	MUG	UTKARSHA	CS	1.60	1.60	RAIN DAMAGE AND FAIL IN GERMINATION
324	Anita Rajendra Astikar	Mana	Murtizapur	AKOLA	MUG	UTKARSHA	CS	2.80	2.80	RAIN DAMAGE AND FAIL IN GERMINATION
325	Prashad Hanumantrao DESHMUKH	Mana	Murtizapur	AKOLA	MUG	UTKARSHA	FS	3.2	3.2	RAIN DAMAGE AND FAIL IN GERMINATION
326	Krishna Rajendra TAYE	Khaparwada	Murtizapur	AKOLA	MUG	AKU 10-1	CS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
327	Sahadeo Kisanrao CHINCHOLKAR	Sirso	Murtizapur	AKOLA	MUG	PKV AKM 4	CS	2.4	2.4	RAIN DAMAGE AND FAIL IN GERMINATION
328	UJAWAL MANOHAR NAVGHARE	Chikhali MUR	Murtizapur	AKOLA	IMP COTTON (DESHI) BR	AKH-081 BI-12 BR	FS	1.2	1.2	BOLL SHEDDING LESS YIELD
329	SANJAY RAMRAO VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	IMP COTTON (DESHI) BR	AKH-081 Non-BI BR	FS	0.4	0.4	BOLL SHEDDING LESS YIELD
330	GAJANAN RAMRAO VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	IMP COTTON (DESHI) BR	AKH-081 Non-BI BR	CS	0.4	0.4	BOLL SHEDDING LESS YIELD
331	MANIKRAO NARAYANRAO GHATE	RAJURA GHATE	Murtizapur	AKOLA	IMP COTTON (DESHI) CS	AKH-84635(RAJAT) BI-2 CS	FS	0.8	0.8	BOLL SHEDDING LESS YIELD
332	RANJEET VIJAY DESHMUKH	VIRVADA	Murtizapur	AKOLA	BLACK GRAM (UJID) BR	AKU 10-1	FS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
333	NITIN VITTHALRAO PATIL	GHUNGSHI	Murtizapur	AKOLA	UJID	AKU 10-1	CS	4.8	4.8	RAIN DAMAGE AND FAIL IN GERMINATION
334	MUKTA SHRUKANT WANKHADE	ANBHORA	Murtizapur	AKOLA	UJID	AKU 10-1	CS	2	2	RAIN DAMAGE AND FAIL IN GERMINATION
335	GAJANAN RAMRAO VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	UJID	AKU 10-1	CS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
336	RANJEET VIJAY DESHMUKH	VIRVADA	Murtizapur	AKOLA	UJID	AKU 10-1	CS	4.8	4.8	RAIN DAMAGE AND FAIL IN GERMINATION
337	AJAY HANUMANTRAO DESHMUKH	MANA	Murtizapur	AKOLA	UJID	AKU 15	CS	2.4	2.4	RAIN DAMAGE AND FAIL IN GERMINATION
338	ARCHANA SANJAY VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	TUR	BDN 716	BR	1.6	1.6	FAIL IN ISOLATION
339	SAGAR WAMANRAO KORDE	HIVRA KORDE	Murtizapur	AKOLA	TUR	BDN 716	BR	2.4	2.4	FAIL IN ISOLATION
340	SHOBHA RAMDAS TIDKE	WAGHJAI	Murtizapur	AKOLA	TUR	BDN 716	CS	2.4	2.4	FAIL IN ISOLATION
341	ARVIND BHURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	TUR	BDN 716	CS	0.8	0.8	FAIL IN ISOLATION
342	ARVIND BHURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	TUR	BDN 716	CS	0.8	0.8	FAIL IN ISOLATION
343	SAGAR WAMANRAO KORDE	HIVRA KORDE	Murtizapur	AKOLA	TUR	BDN 717	FS	2.4	2.4	FAIL IN ISOLATION
344	ASHATAI WASUDEVARAO ASHTIKAR	MANA	Murtizapur	AKOLA	TUR	BDN 718	FS	3.2	3.2	FAIL IN ISOLATION
345	KRUSHNA RAJENDRA TAPARE	TIPTALA	Murtizapur	AKOLA	MUG	BM-2003-02	FS	2	2	RAIN DAMAGE AND FAIL IN GERMINATION
346	HIRABAI ANANDJI TAPARE	TIPTALA	Murtizapur	AKOLA	MUG	BM-2003-02	CS	1.2	1.2	RAIN DAMAGE AND FAIL IN GERMINATION
347	VASANT MOTIRAM BHAGVATKAR	MANA	Murtizapur	AKOLA	MUG	BM-2003-2	CS	0.8	0.8	RAIN DAMAGE AND FAIL IN GERMINATION
348	RAKSHA VAIBHAV HENDASKAR	TIPTALA	Murtizapur	AKOLA	MUG	BM-2003-2	CS	2	2	RAIN DAMAGE AND FAIL IN GERMINATION
349	PURUSHOTTAM RAMDAS HENDASKAR	TIPTALA	Murtizapur	AKOLA	MUG	BM-2003-2	CS	0.8	0.8	RAIN DAMAGE AND FAIL IN GERMINATION
350	Keshavrao Balwantar Deshmukh	KANZARA MUR	Murtizapur	AKOLA	MUG	BM-2003-2	CS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
351	SURAJDEVJI ASHOKUMAR RATHI	LAKHPURI	Murtizapur	AKOLA	MUG	BM-2003-2	CS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
352	UJAWAL MANOHAR NAVGHARE	Chikhali MUR	Murtizapur	AKOLA	MUG	BM-2003-2	CS	2	2	RAIN DAMAGE AND FAIL IN GERMINATION
353	VALLABDAS KISANLAL LAKHOTIYA	LAKHPURI	Murtizapur	AKOLA	MUG	BM-2003-2	CS	4.4	4.4	RAIN DAMAGE AND FAIL IN GERMINATION
354	KISHOR CHANDRAKANT JAMBHEKAR	DHANORA VAIDYA	Murtizapur	AKOLA	MUG	BM-2003-2	CS	0.8	0.8	RAIN DAMAGE AND FAIL IN GERMINATION
355	SANJAY ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	TUR	BSMR-736	CS	1.8	1.8	FAIL IN ISOLATION
356	ANANDRAO BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	TUR	BSMR-736	CS	0.8	0.8	FAIL IN ISOLATION
357	AJAY HANUMANTRAO DESHMUKH	MANA	Murtizapur	AKOLA	TUR	BSMR-736	CS	4	4	FAIL IN ISOLATION
358	RAMDAS ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	TUR	BSMR-736	CS	2.8	2.8	FAIL IN ISOLATION
359	DHANANJAY DYANDEVRAO JADHAV	Dalata Koulikhed	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	2.8	2.8	FAIL IN ISOLATION
360	SANJAY BHURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	2	2	FAIL IN ISOLATION
361	PRAMOD BAPURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	4	4	FAIL IN ISOLATION
362	Shilpa Arvind Tayde	vahitpur	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	3	3	FAIL IN ISOLATION
363	SHOBHA RAMDAS TIDKE	WAGHJAI	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	2	2	FAIL IN ISOLATION
364	SANJAY ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	3	3	FAIL IN ISOLATION
365	RAMDAS ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	TUR	ICP-8863 (MARUTI)	CS	3	3	FAIL IN ISOLATION
366	DHANANJAY DYANDEVRAO JADHAV	Dalata Koulikhed	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
367	VITTHALRAO NARAYAN PATIL	GHUNGSHI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
368	PURAN BHURAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
369	SACHIN BAPURAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
370	MANGESH BHURAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
371	VASANT BAPURAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
372	NANDKISHOR RAMRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
373	MINAKSHI NANDKISHOR DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
374	JAGDISH RUPRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
375	GAJANAN RUPRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
376	BARJAYI RUPRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
377	PRASHANT RUPRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
378	NILESH RUPRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
379	RANGRAO MAHADEVRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
380	SANJAY RAMRAO DASHRATHI	BHATORI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
381	RAMBHAU AKARAMJI GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
382	BANDU RAMBHAU GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
383	PRAKASH BHURAO GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
384	SANJAY SAHEBRAO TAPARE	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.2	1.2	FAIL IN GERMINATION
385	RAJENDRA SAHEBRAO TAPARE	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
386	ABHIJIT SANJIV TAPARE	TIPTALA	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	3.2	3.2	FAIL IN GERMINATION
387	RAMDAS ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
388	Deena Sanjay Tapare	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	0.8	0.8	FAIL IN GERMINATION
389	GAJANAN MANIKRAO KHOKALE	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
390	MANJU RAJENDRA TAPARE	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	3.2	3.2	FAIL IN GERMINATION
391	SACHIN YASHAVANT GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
392	DHANANJAY AMBADAS DESHMUKH	KANZARA MUR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	4.8	4.8	FAIL IN GERMINATION
393	BAPURAO AKARAMJI GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2.8	2.8	FAIL IN GERMINATION
394	PRAVIN BHASKARAO DESHMUKH	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
395	VITTHAL EKNATH GHANOT	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
396	SHANKET VITTHAL GHANOT	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
397	BHAUSAHEB SAKHARAM GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
398	Prashant Mahadeorao Waizade	GHUNGSHI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	3.2	3.2	FAIL IN GERMINATION
399	Shubham Gajanan Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	3.2	3.2	FAIL IN GERMINATION
400	Latika Vitthalrao Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
401	Sharad Vitthalrao Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
402	Gajanan Onkarao Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2.4	2.4	FAIL IN GERMINATION
403	Mangal Vitthalrao Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
404	Shalini Gajanan Gawande	Sanghava Mel	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.2	1.2	FAIL IN GERMINATION
405	PRAKASH HIMMATRAO MORE	KANVGI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
406	GAJANAN RAMRAO VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	3.2	3.2	FAIL IN GERMINATION
407	SANJAY ONKARRAO TIDKE	SANGHVI	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
408	PRAMILA MAROTI TAYDE	vahitpur	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
409	DYANDEV TILAKRAM DHAV	Dalata Koulikhed	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
410	SAHADEO KISANRAO CHINCHOLKAR	SIRSO	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2.4	2.4	FAIL IN GERMINATION
411	DURGABAI RAMRAO VAIDYA	DHANORA VAIDYA	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	

443	GAJANAN RAMRAO VAIDYA	DIHANORA VAIDYA	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	4	4	FAIL IN GERMINATION
444	SHOBHA GAJANAN VAIDYA	DIHANORA VAIDYA	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	4	4	FAIL IN GERMINATION
445	BANDU RAMBHAU GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
446	RAMBHAU AKARAMI GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.2	1.2	FAIL IN GERMINATION
447	LALIT SHRIRAM JAMBEKARI	HIRPUR	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.6	1.6	FAIL IN GERMINATION
448	MADHUKAR BAPURAO MANKE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.2	1.2	FAIL IN GERMINATION
449	NILESH MADHUKAR MANKE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	1.2	1.2	FAIL IN GERMINATION
450	MANIKRAO NARAYAN GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	4	4	FAIL IN GERMINATION
451	BHAUSAHEB SAKHARAM GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2	2	FAIL IN GERMINATION
452	DEVRAO RAMRAO DESHMUKH	SIRSO	Murtizapur	AKOLA	SOYBEAN	JS-335 (JAWAHAR)	CS	2.4	2.4	FAIL IN GERMINATION
453	SUBHASH RAMCHANDRA ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	5.6	5.6	FAIL IN GERMINATION
454	AJAY HANUMANTRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
455	VAIBHAV PRALHAD BHAGWATKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2.4	2.4	FAIL IN GERMINATION
456	PRALHAD HANUMANTRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
457	RUPALI ANANDRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
458	RAJESHWAR MANTANDRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
459	ANANDRAO BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	3.2	3.2	FAIL IN GERMINATION
460	ANANDRAO BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
461	HANUMANT BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
462	VANDANA SHANKARRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	3.2	3.2	FAIL IN GERMINATION
463	ANITA RAJENDRA ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	3.2	3.2	FAIL IN GERMINATION
464	RAJENDRA SHANKARRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	3.2	3.2	FAIL IN GERMINATION
465	ARCHANA KIRAN MULE	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
466	SACHANA PRASHANTRAO PATIL	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
467	ASHATAI WASUDEVRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
468	RANJANA VILAS SAWARKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
469	MAYUR ANANDRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	4	4	FAIL IN GERMINATION
470	REKHATA GANGAJI TAKTODE	TIPTALA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
471	MANOJ AWDHURAO WADATKAR	TIPTALA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
472	PRITI PARAG PAREKH	ANBHORA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2.4	2.4	FAIL IN GERMINATION
473	ARVIND MAROTI TAYDE	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
474	Shilpa Arvind Tayde	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
475	VIMAL SUBHAS TAYDE	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
476	PRAMLA MAROTI TAYDE	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
477	Anila Milind Tayde	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
478	VITTHAL EKNATH GHANOT	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.2	1.2	FAIL IN GERMINATION
479	REKHA SUBHASH DHAYE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
480	NITIN PRAKASH GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
481	PRAKASH BHAURAO GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.2	1.2	FAIL IN GERMINATION
482	SOPAN SUBHASH DHAYE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
483	SURHAS DOHAJI DHAYE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	2	2	FAIL IN GERMINATION
484	AMOL BAPURAO GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
485	YASHVANT RAMCHANDRA GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
486	SACHIN YASHVANT GHATE	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
487	ANURAG KARANJIRAO GHANOT	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	1.6	1.6	FAIL IN GERMINATION
488	SANKET VITTHAL GHANOT	RAJURA GHATE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CI	0.8	0.8	FAIL IN GERMINATION
489	ANANDRAO BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	10	10	FAIL IN GERMINATION
490	PRASHANT BHAURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	FAIL IN GERMINATION
491	SAGAR WAMANRAO DESHMUKH	HIVRA KORDE	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	3.6	3.6	FAIL IN GERMINATION
492	RUPALI ANANDRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	3.6	3.6	FAIL IN GERMINATION
493	ASHATAI WASUDEVRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	3.2	3.2	FAIL IN GERMINATION
494	RANJANA VILAS SAWARKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	FAIL IN GERMINATION
495	ARCHANA KIRAN MULE	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	FAIL IN GERMINATION
496	ASHATAI WASUDEVRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	FAIL IN GERMINATION
497	HANUMANT BAJIRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	3.6	3.6	FAIL IN GERMINATION
498	SUDHIR HIMMATRAO SONTAKKE	KANADI MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	4	4	FAIL IN GERMINATION
499	HIMMAT SHRIRAM SONTAKKE	KANADI MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	6	6	FAIL IN GERMINATION
500	NIRMALBA PURUSHOTTAM PASKAR	KANADI MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	4	4	FAIL IN GERMINATION
501	SANTOSH HIMMATRAO SONTAKKE	KANADI MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	8	8	FAIL IN GERMINATION
502	SAYYAD MAJID SAYYAD RAFI	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	3.6	3.6	FAIL IN GERMINATION
503	UDAY WAMANRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	5.6	5.6	FAIL IN GERMINATION
504	SITISANA SUBHASH DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	10	10	FAIL IN GERMINATION
505	JYOTI SHIVRAM DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	8	8	FAIL IN GERMINATION
506	SINDHU HIMMATRAO SONTAKKE	KANADI MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	8	8	FAIL IN GERMINATION
507	PRAMOD BAPURAO DESHMUKH	GHUNGSHI	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	1.2	1.2	FAIL IN GERMINATION
508	VIMAL SUBHAS TAYDE	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
509	Shilpa Arvind Tayde	vahitpur	Murtizapur	AKOLA	SOYBEAN	MAUS 158	CS	4	4	FAIL IN GERMINATION
510	LAXMIKANT DHYANDORA BAJAD	ANBHORA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	6.8	6.8	FAIL IN GERMINATION
511	NITIN VISHWASRAO DESHMUKH	KANZARA MUR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
512	DYANDEVI TILAKSHI JADAV	Dhotra Shinde	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
513	NITIN VISHWASRAO DESHMUKH	KANZARA MUR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	4	4	FAIL IN GERMINATION
514	RAJENDRA WAMAN KORADE	HIVRA KORDE	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	5.6	5.6	FAIL IN GERMINATION
515	WAMNALA VIJAYKUMAR WANKHADE	ANBHORA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
516	SHRIKANT VIJAYKUMAR WANKHADE	ANBHORA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	4	4	FAIL IN GERMINATION
517	DINKAR RAGHULI MURAL	BHATORI	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	4	4	FAIL IN GERMINATION
518	KALPANA ANIL KHOKALE	KHAPARWADA MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2.4	2.4	FAIL IN GERMINATION
519	PRASHANT GOVINDRAO BARDE	MANDURA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	4.8	4.8	FAIL IN GERMINATION
520	GOVINDRAO SAGARJI TAKTODE	MANDURA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
521	PURUSHOTTAM RAMDAS HENDASKAR	TIPTALA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
522	VAIBHAV RAMDASJI HENDASKAR	TIPTALA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
523	JYOTI NITINRAO DESHMUKH	Dhotra Shinde	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	6	6	FAIL IN GERMINATION
524	NITIN VISHWASRAO DESHMUKH	KANZARA MUR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	6	6	FAIL IN GERMINATION
525	KRISHNA RAJENDRA TAPARE	TIPTALA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2	2	FAIL IN GERMINATION
526	NARENDRA WASUDEORA TIDKE	DAPURA MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	6.4	6.4	FAIL IN GERMINATION
527	AJIT NARENDRA TIDKE	DAPURA MZR	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	3.6	3.6	FAIL IN GERMINATION
528	DURGABAI RAMRAO VAIDYA	DIHANORA VAIDYA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2.3	2.3	FAIL IN GERMINATION
529	VANDANA SHANKARRAO ASHTIKAR	MANA	Murtizapur	AKOLA	SOYBEAN	MAUS 71	CS	2.4	2.4	FAIL IN GERMINATION
530	KISHOR BHAGWANRAO GULHANE	BRAMHI KH	Murtizapur	AKOLA	SAFFLOWER	PKV PINK	CS	1.2	1.2	FAIL IN GERMINATION
531	SAHEED KISANRAO CHINCHOLKAR	SIRSO	Murtizapur	AKOLA	MUG	PKV-AKM-4	FS	1.6	1.6	RAIN DAMAGE AND FAIL IN GERMINATION
532	INDIRABAI ANNABI TAPARE	KHAPARWADA MZR	Murtizapur	AKOLA	MUG	PKV-AKM-4	FS	2.4	2.4	RAIN DAMAGE AND FAIL IN GERMINATION
533	UDAY WAMANRAO DESHMUKH	MANA	Murtizapur	AKOLA	SOYBEAN	PKV TARA	CS	4	4	FAIL IN ISOLATION
534	VIJAY SHRIRAM JAMBEKAR	HIRPUR	Murtizapur	AKOLA	TUR	PKV TARA	CS	1.2	1.2	FAIL IN ISOLATION
535	BHUJANGRAO RAMRAO YEDWAR	ATKALI	Murtizapur	AKOLA	TUR	PKV TARA	CS	4.4	4.4	FAIL IN ISOLATION
536	PANKAJ BHUJANGRAO YEDWAR	ATKALI	Murtizapur	AKOLA	TUR	PKV TARA	CS	1.6	1.6	FAIL IN ISOLATION
537	NARENDRA DEVI SHIRAM JADAV	KHAPARWADA MZR	Murtizapur	AKOLA	TUR	PKV TARA	CS	3.6	3.6	FAIL IN ISOLATION
538	LIJAWAL MANOHAR NAVGHARE	Chikhali MUR	Murtizapur	AKOLA	TUR	PKV TARA	CS	7.8	7.8	FAIL IN ISOLATION
539	MANOHAR SHRIRAM TAKTODE	WAGHJAI	Murtizapur	AKOLA	TUR	PKV TARA	CS	1.6	1.6	FAIL IN ISOLATION
540	Ani Deepa Sateed	KHAPARWADA MZR	Murtizapur	AKOLA	TUR	PKV TARA	CS	4	4	FAIL IN ISOLATION
541	MANDABI MANOHAR TAKTODE1	WAGHJAI	Murtizapur	AKOLA	TUR	PKV TARA	CS	1.6	1.6	FAIL IN ISOLATION
542	MUKESH PANJABRAO MAHANKAR	TULANGA	patur	AKOLA	TUR	MAROTI	CS	1.2	1.2	FAIL IN ISOLATION
543	DIGAMBAR CHANDRABHAN TAYDE	ALEGAON	patur	AKOLA	TUR	MAROTI	CS	2.4	2.4	FAIL IN ISOLATION AND ADMIXTURE
544	AKSHAY SUBHASH JAIN	ALEGAON	patur	AKOLA	JUTE	JRO 524	CS	4	4	RAIN DAMAGE
545	NIRBHAYKUMAR SUBHASH JAIN	ALEGAON	patur	AKOLA	JUTE	JRO 524	CS	2	2	RAIN DAMAGE
546	ABHAYKUMAR SUBHASH JAIN	ALEGAON	patur	AKOLA	JUTE	JRO 524	CS	6	6	RAIN DAMAGE
547	AJAY JAYWANTRAO DESHMUKH	PIMPARDOLI	patur	AKOLA	JUTE	JRO 524	CS	2	2	RAIN DAMAGE
548	TRYAMBAK KASHIRAM BARATE	DEULGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
549	PRASHANT TRYAMBAK BARATE	DEULGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
550	PURUSHOTTAM SADANAN BARATE	DEULGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	FAIL IN GERMINATION
551	SADANAN KASHIRAM BARATE	DEULGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
552	KRUSHNANT SADANAN BARATE	DEULGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	1.2	1.2	FAIL IN GERMINATION
553	SHARADA NAGORAO LAHOLE	AMBASHI	patur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
554	MAHADEO PUNDLIK BOCHARE	NANDKHEDE	patur	AKOLA	SOYBEAN	MAUS 158	CS	2.4	2.4	FAIL IN GERMINATION
555	ANIL RAMCHANDRA MANE	NANDKHEDE	patur	AKOLA	SOYBEAN	MAUS 158	CS	3.2	3.2	FAIL IN GERMINATION
556	PANDURANG PUNDLIK BOCHARE	NANDKHEDE	patur	AKOLA	SOYBEAN	MAUS 158	CS	2.4	2.4	FAIL IN GERMINATION
557	SHAKUNTALA SUBHASH JAIN	ALEGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	4	4	FAIL IN GERMINATION
558	GAJANAN CHANDRABHAN TAYDE	ALEGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	4.4	4.4	FAIL IN GERMINATION
559	ASADULLA KHAN SHAFIULLA KHAN	ALEGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	RAIN DAMAGE
560	ANIL GOVINDRAO DESHMUKH	CHARANGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	1.6	1.6	RAIN DAMAGE
561	PRATHIBA SHARAD DESHMUKH	CHARANGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	2	2	FAIL IN GERMINATION
562	DNYANESHWAR GAJANAN PORE	CHARANGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	0.8	0.8	FAIL IN GERMINATION
563	GAJANAN RAMBHAU PORE	CHARANGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	0.8	0.8	FAIL IN GERMINATION
564	DINKAR RAMBHAU PORE	CHARANGAON	patur	AKOLA	SOYBEAN	MAUS 158	CS	1.2	1.2	FAIL IN GERMINATION
565	GOPAL GAJANAN PORE									

592	SHAMLI VINOD SDESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	js 335	CS	1.2	1.2	FAIL IN GERMINATION
593	NANARAO VITTHALRAO DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	js 335	CS	2	2	FAIL IN GERMINATION
594	VINOD NANARAO DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	js 335	CS	1.2	1.2	FAIL IN GERMINATION
595	SHARAD NANARAO DESHMUKH	CHARANGAON	PATUR	AKOLA	soybean	js 335	CS	0.8	0.8	FAIL IN GERMINATION
596	MAHADEO BABARAO LAHOLE	AMBASHI	PATUR	AKOLA	soybean	js 335	CS	1.2	1.2	FAIL IN GERMINATION
597	AJABRAO NARAYAN LAHOLE	AMBASHI	PATUR	AKOLA	soybean	js 335	CS	1.6	1.6	FAIL IN GERMINATION
598	PANJABRAO PRALHADRAO MAHANKAR	TULANGA	PATUR	AKOLA	soybean	js 335	CS	2	2	FAIL IN GERMINATION
599	NTIN PANJABRAO MAHANKAR	TULANGA	PATUR	AKOLA	soybean	js 335	CS	2	2	FAIL IN GERMINATION
600	SANTOSH VITTHAL DHOKE	TULANGA	PATUR	AKOLA	soybean	js 335	CS	2	2	FAIL IN GERMINATION
601	SURESH DALPAT NEVHAL	TULANGA	PATUR	AKOLA	soybean	js 335	FS	2	2	FAIL IN GERMINATION
602	VISHAL SHRIRIKUSHNA AVTE	ALEGAON	PATUR	AKOLA	ONION	BHIMA SHUBHRA	FS	0.4	0.4	BULB DAMAGED BY FUNGUS
603	SHIRIRAM DASHRATRI LAHOLE	AMBASHI	PATUR	AKOLA	GRAM	RAVIJAY 203	CS	0.8	0.8	GREEN COLOURED GRAIN PERCENTAGE WAS HIGH.
604	GAJANAN CHANDRABHAN TAYADE	ALEGAO	PATUR	AKOLA	WHEAT	LOK 1	CS	2	2	LATE SOWN DAMAGE IN QUALITY
605	AKSHAY SUBHASH JAIN	ALEGAO	PATUR	AKOLA	WHEAT	LOK 1	CS	3.6	3.6	LATE SOWN DAMAGE IN QUALITY
606	TSF. SHIRLA	SHIRLA	PATUR	AKOLA	WHEAT	LOK 1	CS	1.6	1.6	LATE SOWN DAMAGE IN QUALITY
607	SWAPNIL SUHAS KOKATE	SHIRLA	PATUR	AKOLA	WHEAT	POSHAN (HI 8663)	CS	1.6	1.6	LATE SOWN DAMAGE IN QUALITY
608	SUHAS RAMCHANDRA KOKATE	SHIRLA	PATUR	AKOLA	WHEAT	POSHAN (HI 8663)	CS	1.6	1.6	LATE SOWN DAMAGE IN QUALITY
609	Vijay Devidas Salarkar	Dapura	Telhara	Akola	Gram	Jaki-9218	CS	1.20	1.20	Crop damaged by wild animals
610	Rekha Bai Prakash Adhe	Dapura	Telhara	Akola	Gram	Jaki-9218	CS	1.60	1.60	Crop damaged by wild animals
611	Prakash Harihar Adhe	Dapura	Telhara	Akola	Gram	Jaki-9218	CS	1.60	1.60	Crop damaged by wild animals
612	Ambadas Rambhau Dhole	Ghodegaon	Telhara	Akola	Gram	Jaki-9218	CS	1.20	1.20	Crop damaged by wild animals
613	Manish Ambadas Dhole	Ghodegaon	Telhara	Akola	Gram	Jaki-9218	CS	2.00	2.00	Crop damaged by wild animals
614	Mukesh Mohanlal Barethiya	Akot	Akola	Gram		Phule Vikram	CS	2.00	2.00	Very less yield & poor quality
615	Ramdas Shaligram Salarkar	Dapura	Telhara	Akola	Gram	Phule Vikram	CS	1.60	1.60	Very less yield & poor quality
616	Dnyaneshwar Gajanan Sawarkar	Bhokar	Telhara	Akola	Gram	Phule Vikram	CS	2.80	2.80	Very less yield & poor quality
617	Jyoti Rudhir Gawande	Deulgaon	Akot	Akola	Gram	Rat Vijay-203	CS	2.00	2.00	Crop damaged by wild animals
618	Vishweshrao Bhaurao Dhole	Ghodegaon	Telhara	Akola	Gram	Rat Vijay-203	CS	0.80	0.80	Crop damaged by wild animals
619	Unesh Pundlikrao Sawarkar	Bhokar	Telhara	Akola	Gram	Rat Vijay-203	CS	2.80	2.80	Crop damaged by wild animals
620	Gajanan Pundlikrao Sawarkar	Bhokar	Telhara	Akola	Gram	Rat Vijay-203	CS	2.80	2.80	Crop damaged by wild animals
621	Ravindra Dinkarrao Gawande	Maroda	Akot	Akola	Gram	Rat Vijay-202	CS	2.80	2.80	Crop damaged by wild animals
622	Saurabh Ravindra Gawande	Maroda	Akot	Akola	Gram	Rat Vijay-202	CS	1.60	1.60	Crop damaged by wild animals
623	Pankaj Suresh Adhe	Dapura	Telhara	Akola	Gram	Rat Vijay-202	CS	2.00	2.00	Crop damaged by wild animals
624	Pandurao Bhagwantrao Kokate	Karatwadi	Akot	Akola	Gram	Jaki-9218	CS	4.00	4.00	Crop damaged by wild animals
625	Mangala Gajanan Sawarkar	Bhokar	Telhara	Akola	Gram	Jaki-9218	CS	1.20	1.20	Damaged by rain. Poor quality
626	Vasudeo Prithad Talokar	Chandikapur	Akot	Akola	Gram	Rat Vijay-202	CS	2.00	2.00	Crop damaged by wild animals
627	Yogita Shriram Pundkar	Asgaon	Akot	Akola	Gram	Rat Vijay-202	CS	1.60	1.60	Crop damaged by wild animals
628	Vijay Ramrao Gawande	Deulgaon	Akot	Akola	Gram	Rat Vijay-203	CS	4.60	4.60	Crop damaged by wild animals
629	Rudhir Sahadevrao Gawande	Deulgaon	Akot	Akola	Gram	Rat Vijay-203	CS	5.60	5.60	Crop damaged by wild animals
630	Ganesh Rambhau Gahale	Deulgaon	Akot	Akola	Gram	Rat Vijay-203	CS	2.00	2.00	Crop damaged by wild animals
631	Rupali Sanjay Dudhat	Ghodegaon	Telhara	Akola	Gram	Rat Vijay-203	CS	2.00	2.00	Damaged by rain. Poor quality
632	Purushottam Mahadevrao Dudhat	Ghodegaon	Telhara	Akola	Gram	Rat Vijay-203	CS	2.00	2.00	Damaged by rain. Poor quality
633	Padma Shriram Thakare	Telhara	Telhara	Akola	Gram	Rat Vijay-203	CS	1.20	1.20	Damaged by rain. Poor quality
634	Ranjana Gajanan Thakare	Telhara	Telhara	Akola	Gram	Rat Vijay-203	CS	1.20	1.20	Damaged by rain. Poor quality
635	Ganesh Madhukar Thakare	Telhara	Telhara	Akola	Gram	Rat Vijay-203	CS	2.00	2.00	Damaged by rain. Poor quality
636	Vijay Shankarrao Thakare	Telhara	Telhara	Akola	Gram	Rat Vijay-203	CS	0.80	0.80	Damaged by rain. Poor quality
637	BAPURAO AKARAMJI GHATE	Murtizapur	AKOLA	WHEAT	LOK 1	CS	2.8	2.8	LATE SOWN HENCE DAMAGE IN QUALITY	
638	NARAYAN EKNATH GHANOT	RAJURA GHATE	Murtizapur	AKOLA	WHEAT	LOK 1	CS	3.2	3.2	LATE SOWN HENCE DAMAGE IN QUALITY